

GolfBallTest.org Compression & Cover Patented Ratings				GBT Data Chart					
				Overall Compression				Cover Hardness	
Release Date: 10/15/2016 U.S. Patent 7,918,751 B1				Majestix		Atti		Teclock Type C	
Manufacturer	Model	Year	Avg	MPI™	Avg	MPI™	Avg	MPI™	
1	Bridgestone	e5 (06)	2006	99	80	103	85	78	88
2	Bridgestone	e5 (13)	2013	100	81	101	83	80	90
3	Bridgestone	e5 (15)	2015	89	70	90	72	80	90
4	Bridgestone	e5+ (07)	2007	97	78	95	77	79	89
5	Bridgestone	e6 (06)	2006	70	51	76	58	85	95
6	Bridgestone	e6 (10)	2010	71	52	73	55	85	95
7	Bridgestone	e6 (13)	2013	68	49	71	53	83	93
8	Bridgestone	e6 (15)	2015	67	48	69	51	83	93
9	Bridgestone	e6+ (07)	2007	74	55	73	55	85	95
10	Bridgestone	e7 (13)	2013	104	85	103	85	89	99
11	Bridgestone	e7+ (09)	2009	106	87	102	84	86	96
12	Bridgestone	Fix (13)	2013	80	61	83	65	83	93
13	Bridgestone	Tour B330 (06)	2006	111	92	116	98	82	92
14	Bridgestone	Tour B330 (07)	2007	110	91	115	97	80	90
15	Bridgestone	Tour B330 (08)	2008	111	92	110	92	81	91
16	Bridgestone	Tour B330 (09)	2009	111	92	107	89	82	92
17	Bridgestone	Tour B330 (12)	2012	103	84	97	79	79	89
18	Bridgestone	Tour B330 (14)	2014	103	84	103	84	80	90
19	Bridgestone	Tour B330 (16)	2016	110	91	110	92	79	89
20	Bridgestone	Tour B330-RX (08)	2008	90	71	91	73	80	90
21	Bridgestone	Tour B330-RX (09)	2009	90	71	86	68	81	91
22	Bridgestone	Tour B330-RX (12)	2012	85	66	84	66	82	92
23	Bridgestone	Tour B330-RX (14)	2014	85	66	87	68	83	93
24	Bridgestone	Tour B330-RX (16)	2016	78	59	82	64	82	92
25	Bridgestone	Tour B330-RX-S (12)	2012	85	66	84	66	77	87
26	Bridgestone	Tour B330-RX-S (14)	2014	83	64	81	52	80	90
27	Bridgestone	Tour B330-RX-S (16)	2016	80	61	80	62	78	88
28	Bridgestone	Tour B330-RXS (10)	2010	78	59	79	61	74	84
29	Bridgestone	Tour B330-S (06)	2006	96	77	99	81	80	90
30	Bridgestone	Tour B330-S (07)	2007	101	82	109	91	81	91
31	Bridgestone	Tour B330-S (09)	2009	104	85	97	79	79	89
32	Bridgestone	Tour B330-S (12)	2012	101	82	98	80	78	88
33	Bridgestone	Tour B330-S (14)	2014	96	77	97	78	79	89
34	Bridgestone	Tour B330-S (16)	2016	93	74	91	73	76	86
35	Bridgestone	e5 (10)	2010	103	84	103	85	79	89
36	Bridgestone	e7 (10)	2010	103	84	104	86	88	98
37	Bridgestone	e7 (15)	2015	112	93	109	91	89	99
38	Bridgestone	Tour B330-S (08)	2008	104	85	105	87	76	86
39	Callaway	Big Bertha (06)	2006	84	65	84	66	85	95
40	Callaway	Chrome Soft (15)	2015	82	63	80	62	75	85
41	Callaway	Hex Black Tour (12)	2012	117	98	114	96	78	88
42	Callaway	Hex Chrome (12)	2012	97	78	90	72	78	88
43	Callaway	Hex Chrome+ (14)	2014	119	100	116	97	78	88
44	Callaway	HX Diablo (11)	2011	71	52	71	53	82	92
45	Callaway	HX Diablo Tour (11)	2011	88	69	88	70	82	92
46	Callaway	HX Hot (06)	2006	91	72	97	79	88	98
47	Callaway	HX Hot (07)	2007	99	80	99	81	88	98
48	Callaway	HX Hot Bite (08)	2008	104	85	104	86	83	93
49	Callaway	HX Hot Plus (09)	2009	86	67	88	70	86	96
50	Callaway	HX Pearl (08)	2008	95	76	94	76	87	97
51	Callaway	HX Tour (06)	2006	112	93	115	97	88	98
52	Callaway	HX Tour 56 (06)	2006	101	82	108	90	86	96

GolfBallTest.org Compression & Cover Patented Ratings				GBT Data Chart					
Release Date: 10/15/2016 U.S. Patent 7,918,751 B1				Overall Compression				Cover Hardness	
Release Date: 10/15/2016	Manufacturer	Model	Year	Majestix		Atti		Teclock Type C	
				Avg	MPI™	Avg	MPI™	Avg	MPI™
53	Callaway	Speed Regime 1 (14)	2014	92	73	92	73	78	88
54	Callaway	Speed Regime 2 (14)	2014	110	91	110	91	79	89
55	Callaway	Speed Regime 3 (14)	2014	112	93	114	95	80	90
56	Callaway	Tour i (08)	2008	109	90	104	86	84	94
57	Callaway	Tour i(s) (10)	2010	98	79	100	82	83	93
58	Callaway	Tour i(z) (10)	2010	119	100	118	100	85	95
59	Callaway	Tour ix (08)	2008	111	92	107	89	86	96
60	Callaway	Big Bertha Diablo (09)	2009	66	47	66	48	79	89
61	Callaway	HX Hot Bite (09)	2009	113	94	113	95	82	92
62	Callaway	Solaire (09)	2009	76	57	77	59	86	96
63	Costco	Kirkland Signature	2016	96	77	97	79	79	89
64	Dixon	Earth (09)	2009	94	75	99	81	87	97
65	Innovex	E-Motion (12)	2012	92	73	99	81	89	99
66	Innovex	V-Motion (12)	2012	113	94	109	91	78	88
67	Maxfli	BlackMax (06)	2006	114	95	107	89	80	90
68	Maxfli	Fire (07)	2007	98	79	98	80	89	99
69	Maxfli	Noodle Long & Soft (07)	2007	90	71	98	80	88	98
70	Maxfli	RedMax (06)	2006	90	71	95	77	82	92
71	Nike	20XI (13)	2013	116	97	112	94	78	88
72	Nike	20XI X (13)	2013	116	97	113	95	82	92
73	Nike	20XI-S (11)	2011	116	97	112	94	73	83
74	Nike	20XI-X (11)	2011	116	97	115	97	73	83
75	Nike	Crush (10)	2010	86	67	90	72	84	94
76	Nike	Ignite (06)	2006	86	67	88	70	78	88
77	Nike	Ignite (07)	2007	87	68	89	71	87	97
78	Nike	One Black (06)	2006	109	90	102	84	78	88
79	Nike	One Black (07)	2007	102	83	101	83	80	90
80	Nike	One Black (08)	2008	100	81	97	79	80	90
81	Nike	One Platinum (06)	2006	97	78	102	84	77	87
82	Nike	One Platinum (07)	2007	101	82	102	84	76	86
83	Nike	One Platinum (08)	2008	107	88	105	87	77	87
84	Nike	One RZN (13)	2013	95	76	94	76	88	98
85	Nike	One RZN X (13)	2013	95	76	99	81	90	100
86	Nike	One Tour (09)	2009	113	94	108	90	77	87
87	Nike	One Tour D (09)	2009	100	81	99	81	81	91
88	Nike	One Vapor (09)	2009	85	66	88	70	85	95
89	Nike	One Vapor Speed (10)	2010	85	66	84	66	85	95
90	Nike	Power Distance Soft (10)	2010	79	60	78	60	82	92
91	Nike	RZN Black (14)	2014	110	91	108	89	83	93
92	Nike	RZN Platinum (14)	2014	104	85	101	82	76	86
93	Nike	RZN Red (14)	2014	94	75	99	80	90	100
94	Nike	RZN White (14)	2014	82	63	85	66	90	100
95	Nike	Vapor Black (12)	2012	75	56	79	61	84	94
96	Nike	Power Distance Soft (08)	2008	70	51	74	56	84	94
97	Noodle	Noodle + (08)	2008	75	56	78	60	86	96
98	Noodle	Noodle+ Easy Dist (10)	2010	60	41	61	43	81	91
99	Pinnacle	Exception (06)	2006	78	59	79	61	86	96
100	Pinnacle	Platinum Distance (08)	2008	85	66	86	68	87	97
101	Pinnacle	Platinum Feel (08)	2008	81	62	80	62	83	93
102	Pinnacle	Ribbon (08)	2008	86	67	88	70	88	98
103	Pinnacle	Dimension (09)	2009	86	67	90	72	83	93
104	Pinnacle	Gold Distance (09)	2009	91	72	96	78	88	98

GolfBallTest.org Compression & Cover Patented Ratings				GBT Data Chart					
Release Date: 10/15/2016 U.S. Patent 7,918,751 B1				Overall Compression				Cover Hardness	
Release Date:	Manufacturer	Model	Year	Majestix		Atti		Teclock Type C	
				Avg	MPI™	Avg	MPI™	Avg	MPI™
105	Precept	Distance IQ 180 (08)	2008	70	51	78	60	86	96
106	Precept	Lady IQ 180 (08)	2008	67	48	68	50	86	96
107	Precept	Lady IQ Plus (09)	2009	60	41	67	49	85	95
108	Srixon	AD-333 (06)	2006	82	63	86	68	81	91
109	Srixon	AD-333 (07)	2007	78	59	78	60	83	93
110	Srixon	Ladies Soft Feel (08)	2008	75	56	75	57	87	97
111	Srixon	Q-Star Pure White (14)	2014	82	63	83	64	83	93
112	Srixon	Soft Feel (06)	2006	75	56	81	63	85	95
113	Srixon	Tri-Speed (07)	2007	69	50	73	55	85	95
114	Srixon	Z-STAR (11)	2011	95	76	93	75	83	93
115	Srixon	Z-Star (15)	2015	97	78	94	76	80	90
116	Srixon	Z-STAR XV (11)	2011	103	84	104	86	84	94
117	Srixon	Z-Star XV (15)	2015	114	95	112	94	80	90
118	Srixon	Z-UR (06)	2006	110	91	111	93	85	95
119	Srixon	Z-URC (07)	2007	110	91	102	84	85	95
120	Srixon	Z-URS (06)	2006	100	81	102	84	83	93
121	Srixon	Z-URS (07)	2007	98	79	95	77	81	91
122	Srixon	AD-333 (09)	2009	77	58	81	63	83	93
123	Srixon	Z Star (09)	2009	91	72	92	74	81	91
124	Srixon	Z Star X (09)	2009	105	86	108	90	82	92
125	Srixon	Z-Star SL (12)	2012	86	67	85	67	81	91
126	TaylorMade	Aeroburner Pro (15)	2015	84	65	84	66	81	91
127	TaylorMade	Aeroburner Soft (15)	2015	71	52	72	54	80	90
128	TaylorMade	Burner (08)	2008	77	58	73	55	86	96
129	TaylorMade	Burner (10)	2010	76	57	76	58	90	100
130	TaylorMade	Burner Tour (10)	2010	75	56	76	58	79	89
131	TaylorMade	Burner TP (08)	2008	87	68	89	71	81	91
132	TaylorMade	Lethal (13)	2013	107	88	104	86	78	88
133	TaylorMade	Penta TP (10)	2010	103	84	101	83	76	86
134	TaylorMade	Project (a) (14)	2014	98	79	97	78	76	86
135	TaylorMade	Rocketballz (12)	2012	84	65	87	69	81	91
136	TaylorMade	Tour Preferred (14)	2014	99	80	100	81	76	86
137	TaylorMade	Tour Preferred (16)	2016	95	76	90	72	75	85
138	TaylorMade	Tour Preferred X (14)	2014	97	78	98	79	79	89
139	TaylorMade	Tour Preferred X (16)	2016	109	90	104	86	76	86
140	TaylorMade	TP Black (06)	2006	117	98	110	92	82	92
141	TaylorMade	TP Black (08)	2008	117	98	115	97	80	90
142	TaylorMade	TP Red (06)	2006	111	92	106	88	81	91
143	TaylorMade	TP Red (08)	2008	95	76	92	74	80	90
144	TaylorMade	TP3 (12)	2012	102	83	96	78	81	91
145	TaylorMade	TP5 (12)	2012	104	85	96	78	76	86
146	Titleist	DT Carry (08)	2008	79	60	79	61	80	90
147	Titleist	DT Roll (08)	2008	87	68	90	72	83	93
148	Titleist	DT SoLo (06)	2006	79	60	78	60	84	94
149	Titleist	DT SoLo (10)	2010	83	64	84	66	86	96
150	Titleist	NXT (06)	2006	73	54	77	59	88	98
151	Titleist	NXT (10)	2010	82	63	85	67	88	98
152	Titleist	NXT Extreme (07)	2007	76	57	82	64	88	98
153	Titleist	NXT Tour (06)	2006	88	69	88	70	80	90
154	Titleist	NXT Tour (07)	2007	88	69	92	74	81	91
155	Titleist	NXT Tour (10)	2010	96	77	96	78	85	95
156	Titleist	NXT Tour (12)	2012	96	77	96	78	84	94

GolfBallTest.org Compression & Cover Patented Ratings				GBT Data Chart					
				Overall Compression				Cover Hardness	
Release Date: 10/15/2016 U.S. Patent 7,918,751 B1				Majestix		Atti		Teclock Type C	
	Manufacturer	Model	Year	Avg	MPI™	Avg	MPI™	Avg	MPI™
157	Titleist	NXT Tour-S (12)	2012	83	64	84	66	83	93
158	Titleist	Pro V1 (06)	2006	97	78	99	81	76	86
159	Titleist	Pro V1 (07)	2007	93	74	95	77	78	88
160	Titleist	Pro V1 (09)	2009	95	76	98	80	78	88
161	Titleist	Pro V1 (11)	2011	99	80	98	80	79	89
162	Titleist	Pro V1 (13)	2013	95	76	95	77	79	89
163	Titleist	Pro V1 (15)	2015	92	73	93	75	78	88
164	Titleist	Pro V1x (06)	2006	110	91	114	96	78	88
165	Titleist	Pro V1x (07)	2007	103	84	100	82	79	89
166	Titleist	Pro V1x (09)	2009	104	85	104	86	79	89
167	Titleist	Pro V1x (11)	2011	107	88	107	89	79	89
168	Titleist	Pro V1x (13)	2013	106	87	107	89	79	89
169	Titleist	Pro V1x (15)	2015	107	88	105	87	78	88
170	Titleist	Velocity (12)	2012	91	72	95	77	90	100
171	Top Flite	D2 Feel (07)	2007	71	52	74	56	85	95
172	Top Flite	D2 Straight (07)	2007	77	58	77	59	87	97
173	Top-Flite	Freak (08)	2008	87	68	88	70	90	100
174	Top-Flite	Gamer (08)	2008	98	79	95	77	83	93
175	Top-Flite	Gamer V2 (10)	2010	85	66	91	73	83	93
176	Vice	Drive (15)	2015	98	79	104	86	90	100
177	Vice	Pro (15)	2015	113	94	113	95	79	89
178	Vice	Tour (15)	2015	91	72	97	79	89	99
179	Vision	Pro Tour X (16)	2016	75	56	78	60	85	95
180	Vision	Pro Tour V (16)	2016	67	48	74	56	86	96
181	Volvik	PROs Pect (07)	2007	81	62	81	63	86	96
182	Volvik	White Color S-3 (14)	2014	105	86	104	85	78	88
183	Wilson Staff	C:25 (10)	2010	85	66	88	70	90	100
184	Wilson Staff	D:25 (10)	2010	66	47	69	51	88	98
185	Wilson Staff	Duo (12)	2012	51	32	55	37	87	97
186	Wilson Staff	DX2 Distance (06)	2006	85	66	83	65	85	95
187	Wilson Staff	FG Tour (10)	2010	93	74	92	74	76	86
188	Wilson Staff	FG Tour X (12)	2012	116	97	116	98	79	89
189	Wilson Staff	Fifty (07)	2007	75	56	72	54	83	93
190	Wilson Staff	Hope (07)	2007	81	62	84	66	88	98
191	Wilson Staff	PX3 Performance (06)	2006	80	61	84	66	82	92
192	Wilson Staff	TX4 Pro (08)	2008	119	100	118	100	84	94
193	Wilson Staff	TX4 Tour (06)	2006	109	90	105	87	82	92
194	Wilson Staff	Zip (07)	2007	68	49	67	49	83	93

Technical Notes:

1. Compression tests performed measuring overall golf ball compression using the Majestix and Atti compression test devices. The higher the number, the less the ball compresses when subjected to a force.
2. Cover hardness tests performed measuring golf ball surface hardness using a Teclock Type C durometer test device in accordance with ASTM D 2240 C.